

SF14 - ADAPTOR WITH FEMALE THREADED

U-PVC BS PLAIN / THREADED SERIES

U-PVC



DIGITAL SERVICES

 [Login / Register](#)



PRICE LIST



TECHNICAL CATALOGS



CERTIFICATES



REFERENCES




VIDEO



DOC. COMER SPA




CHEMICAL RESISTANCES



SF14 - ADAPTOR WITH FEMALE THREADED

Codice/Code	dXG	L	L1	E	Z	C	Gr	Pack	Box
SF14020B	1/2"x1/2"	16	15	28	24	30	23	350	S
SF14020C	1/2"x3/4"	16	16.3	34	24	36	28	300	S
SF14025B	3/4"x1/2"	19	15	28	27	30	23	600	M
SF14025C	3/4"x3/4"	19	16.3	34	27	36	28	500	M
SF14025D	3/4"x1"	19	19.1	42	27	46	43	350	M
SF14032C	1"x3/4"	22	16.3	34	30	36	36	450	M
SF14032D	1"x1"	22	19.1	42	30	46	46	280	M
SF14040D	1"1/4x1"	26	19.1	42	36	46	55	250	M
SF14040E	1"1/4x1"1/4	26	21.4	51	36	55	70	180	M
SF14050E	1"1/2x1"1/4	31	21.4	51	41	55	75	140	M
SF14050F	1"1/2x1"1/2	31	21.4	58	41	60	75	130	M
SF14050G	1"1/2x2"	31	25.7	75	41	75	120	100	M
SF14063F	2"x1"1/2	38	21.4	60	49	65	130	90	M
SF14063G	2"x2"	38	25.7	75	48	75	130	70	M
SF14075G	2"1/2x2"	44	25.7	75	53	75	150	55	M
SF14075H	2"1/2x2"1/2	44	30.2	89	58	90	240	80	M
SF14075I	2"1/2x3"	44	33.3	103	58	105	310	35	M
SF14090H	3"x2"1/2	51	30.2	89	65	95	300	60	L
SF14090I	3"x3"	51	33.3	103	66	105	330	55	L
SF14090L	3"x4"	51	39.3	130	65	130	490	35	L



SF14 - ADAPTOR WITH FEMALE THREADED

SF140110I	4"x3"	61	33.3	103	76	130	460	35	L
SF140110L	4"x4"	61	39.3	130	76	130	510	30	L

SF14 - ADAPTOR WITH FEMALE THREADED

U-PVC BS PLAIN / THREADED SERIES

U-PVC

Adaptor with female threaded