



3-Way ball valve

SOLVENT SOCKET OUTLET

ITEM 849

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111V003	3 WAY V. SOLV. SOCKET L PTFE 32	0.67	0.0446	3.97	4
111V005	3 WAY V. SOLV. SOCKET L PTFE 50	1.657	0.044603	5.1298	2
111V006	3 WAY V. SOLV. SOCKET L PTFE 63	2.685	0.03129	7.06	2
111V007	3 WAY V. SOLV. SOCKET L PTFE 75	4.881	0.03892	5.76	1
111V043	3 WAY V. SOLV. SOCKET T PTFE 32	0.667	0.03129	3.8019	4
111V045	3 WAY V. SOLV. SOCKET T PTFE 50	1.646	0.0446	5.142	2
111V046	3 WAY V. SOLV. SOCKET T PTFE 63	2.8031	0.044603	7.001	2
111V047	3 WAY V. SOLV. SOCKET T PTFE 75	4.785	0.03892	5.67	1
111V744	3 WAY V. SOLV. SOCKET L PTFE 40	1.647	0.0446	5.14	2
111V748	3 WAY V. SOLV. SOCKET L PTFE 90	5.141	0.03892	6.02	1
111V754	3 WAY V. SOLV. SOCKET T PTFE 40	1.637	0.0446	5.12	2
111V758	3 WAY V. SOLV. SOCKET T PTFE 90	5.085	0.03892	6.117	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 849 | SOLVENT SOCKET OUTLET

PTFE	f	PESO (g)	DN	Modelo	A	B	C	D	E	PN	MEDIDA
11V003	32	712	25	L	160	72	22	121	114	PN16	MÉTRICO
11V744	40	1644	40	L	214	103	26	155	140	PN16	MÉTRICO
11V005	50	1653	40	L	216	103	31	155	140	PN16	MÉTRICO
11V006	63	2549	50	L	251	120	38	172	140	PN16	MÉTRICO
11V007	75	5008	65	L	308	150	45	218	160	PN10	MÉTRICO
11V748	90	5317	65	L	332	150	51	218	160	PN10	MÉTRICO
11V013	32	708	25	T	160	72	22	121	114	PN16	MÉTRICO
11V754	40	1634	40	T	214	103	26	155	140	PN16	MÉTRICO
11V045	50	1643	40	T	216	103	31	155	140	PN16	MÉTRICO
11V046	63	2531	50	T	251	120	38	172	140	PN16	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 849 | SOLVENT SOCKET OUTLET

11V047	75	4968	65	T	308	150	45	218	160	PN10	MÉTRICO
11V758	90	5277	65	T	332	150	51	218	160	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es